

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

Claim 1 (original): A composition comprising by weight:

- 20 to 40 parts of PVDF;
- 40 to 60 parts of PMMA;
- 5 to 18 parts of an acrylic elastomer;
- 1 to 4 parts of a UV absorber;
- the total making 100 parts.

Claim 2 (original): A composition according to Claim 1 in which the proportions are:

- 25 to 35 parts of PVDF;
- 45 to 55 parts of PMMA;
- 8 to 18 parts of an acrylic elastomer;
- 2 to 3 parts of a UV absorber;
- the total making 100 parts.

Claim 3 (original): A composition according to Claim 1 in which the proportions are:

- 30 to 35 parts of PVDF;
- 50 to 55 parts of PMMA;
- 8 to 12 parts of an acrylic elastomer;
- 2 to 3 parts of a UV absorber;
- the total making 100 parts.

Claim 4 (currently amended): ~~Composition~~ A composition according to ~~any one of the preceding claims, in which~~ claim 1, wherein the acrylic elastomer is a core-shell copolymer.

Claim 5 (currently amended): ~~Composition~~ A composition according to Claim 4, ~~in which~~ wherein the core-shell copolymer is chosen from soft/hard, hard/soft/hard and hard/soft/semi-hard copolymers.

Claim 6 (currently amended): ~~Coextruded films consisting of:~~ A coextruded film comprising

- a layer of the coextrudable composition according to ~~any one of the preceding claims~~ claim 1, and directly attached to the latter; and
- a PVDF-based layer comprising, as main constituents by weight, 50 to 100 parts of PVDF per 50 to 0 parts of PMMA respectively.

Claim 7 (currently amended): ~~Films~~ A film according to Claim 6, in which the PVDF-based layer comprises, as main constituents, 70 to 100 parts of PVDF per 30 to 0 parts of PMMA respectively.

Claim 8 (currently amended): ~~Films~~ A film according to Claim 7, in which the PVDF-based layer comprises, as main constituents, 75 to 85 parts of PVDF per 25 to 15 parts of PMMA respectively.

Claim 9 (currently amended): ~~Films~~ A film according to ~~any one of Claims 6 to 8~~ Claim 6, in which the thickness of the PVDF layer is advantageously between 2 and 50 μm and that of the coextrudable composition between 10 and 100 μm .

Claim 10 (currently amended): ~~Coextruded films~~ A coextruded film comprising, in the following order:

- a coextrudable layer of ~~the~~ a composition according to ~~any one of Claims 1 to 5 (the adhesive layer)~~ claim 1;
- a layer placed against the coextrudable layer and comprising, as main constituents by weight, 50 to 90 parts of PVDF per 50 to 10 parts of PMMA respectively; and
- ~~a~~ an outer layer ~~(also called the outer layer)~~ comprising, as main constituents by weight, 75 to 100 parts of PVDF per 25 to 0 parts of PMMA respectively.

Claim 11 (currently amended): ~~Films~~ A film according to Claim 10, in which the outer layer comprises, as main constituents, 85 to 100 parts of PVDF per 15 to 0 parts of PMMA respectively.

Claim 12 (currently amended): ~~Films~~ A film according to ~~any one of Claims 10 to 11~~ Claim 10, in which the thickness of the layer of coextrudable composition is advantageously between 10 and 100 μm and that of each of the other layers is advantageously between 2 and 50 μm .

Claim 13 (currently amended): ~~Substrates coated~~ A substrate provided with a superposed film according to ~~any one of Claims 6 to 12, the coextrudable composition being placed against the substrate~~ Claim 6.

Claim 14 (new): A substrate provided with a superposed film according to claim 10.

Claim 15 (new): A composition according to claim 4, wherein the acrylic elastomer is a soft/hard core-shell wherein the core is a butyl acrylate homopolymer and the shell is PMMA.

Claim 16 (new): A composition according to claim 1, in the form of a film.

Claim 17 (new): A composition according to claim 15, in the form of a film.

Claim 18 (new): A coextruded film comprising

- a layer of the coextrudable composition according to claim 4, and directly attached to the latter and
- a PVDF-based layer comprising, as main constituents by weight, 50 to 100 parts of PVDF per 50 to 0 parts of PMMA respectively.

Claim 19 (new): A film according to claim 18, wherein the acrylic elastomer is a soft/hard core-shell wherein the core is a butyl acrylate homopolymer and the shell is PMMA.

Claim 20 (new): A coextruded film comprising, in the following order:

- a coextrudable layer of a composition according to claim 4;
- a layer placed against the coextrudable layer and comprising, as main constituents by weight, 50 to 90 parts of PVDF per 50 to 10 parts of PMMA respectively; and
- an outer layer comprising, as main constituents by weight, 75 to 100 parts of PVDF per 25 to 0 parts of PMMA respectively.